

I NEED TO STAY HOME IF...

I have diarrhoea	I have <u>live</u> head lice	I have a rash	I have an eye infection	I am vomiting	I have a runny nose with a cough/flu symptoms
Within the past 24 hours. Do not return to school for 48 hours after the last loose bowel motion.	Itchy head-active <u>live</u> head lice.	Body rash with itching and fever.	Redness, itching, and/or discharge or 'crusty' drainage.	Within the past 24 hours. Do not return to school for 48 hours after the last vomit.	All of these symptoms point to a cold or the flu.
	Within the past 24 hours. Do not return to school for 48 hours after the last loose	Within the past 24 hours. Do not return to school for 48 hours after the last loose Ttchy head-active live head lice.	Within the past 24 hours. Do not return to school for 48 hours after the last loose To a company the company to the company to the company that the company the company that th	Within the past 24 hours. Do not return to school for 48 hours after the last loose Within the past 24 head lice. Itchy head-active live head lice. Body rash with itching and fever. Redness, itching, and/or discharge or 'crusty' drainage.	Within the past 24 hours. Do not return to school for 48 hours after the last loose Infection Within the past 24 hours after the last loose Within the past 24 hours after the last loose Within the past 24 hours and/or discharge or 'crusty' drainage. Within the past 24 hours. Do not return to school for 48 hours after the last vomit.

I AM READY TO GO BACK TO SCHOOL WHEN I AM...

Fever free for 24	Totally free from	Treated with lice	Free from rash,	Evaluated by a	Have not vomited for	Symptoms have
hours without the	loose stools and	treatment and proof	itching or fever.	doctor and	48 hours.	subsided.
use of medication.	diarrhoea for 48	provided to the	Doctor evaluation	treatment has		
(eg Panadol)	hours.	principal.	if needed.	commenced.		

Please advise the school when your child has had an illness or is feeling unwell.